

From: Janine Dinan/DC/USEPA/US
Sent: 12/12/2011 11:43:10 AM
To: Terry Smith/DC/USEPA/US@EPA
CC:
Subject: Fw: Request your participation in Monday Noon (Eastern) call

----- Forwarded by Janine Dinan/DC/USEPA/US on 12/12/2011 11:43 AM -----

From: Elizabeth Doyle/DC/USEPA/US
To: Janine Dinan/DC/USEPA/US@EPA
Date: 12/12/2011 11:37 AM
Subject: Fw: Request your participation in Monday Noon (Eastern) call

FYI

----- Forwarded by Elizabeth Doyle/DC/USEPA/US on 12/12/2011 11:37 AM -----

From: Ralph Ludwig/ADA/USEPA/US
To: Victoria Binetti/R3/USEPA/US@EPA
Cc: Ann Codrington/DC/USEPA/US@EPA, Betsy Behl/DC/USEPA/US@EPA, Elizabeth Doyle/DC/USEPA/US@EPA, Eric Burneson/DC/USEPA/US@EPA, Jeanne Briskin/DC/USEPA/US@EPA, Jennie Saxe/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Lyle Burgoon/RTP/USEPA/US@EPA
Date: 12/12/2011 11:11 AM
Subject: Re: Request your participation in Monday Noon (Eastern) call

Hi Vicky,

I will be making reference to the following two attachments as part of our conference call at noon EST today.

Ralph

Ralph D. Ludwig, Ph.D.
U.S. EPA
National Risk Management Research Laboratory
Ground Water and Ecosystem Restoration Division
919 Kerr Research Dr.
P.O. Box 1198
Ada, OK 74820

Phone: 580-436-8603 Fax: 580-436-8614

From: Victoria Binetti/R3/USEPA/US
To: Jeanne Briskin/DC/USEPA/US@EPA, Ralph Ludwig/ADA/USEPA/US@EPA, Betsy Behl/DC/USEPA/US@EPA, Lyle Burgoon/RTP/USEPA/US@EPA
Cc: Elizabeth Doyle/DC/USEPA/US@EPA, Eric Burneson/DC/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Jennie Saxe/R3/USEPA/US@EPA, Ann Codrington/DC/USEPA/US@EPA
Date: 12/09/2011 04:06 PM
Subject: Request your participation in Monday Noon (Eastern) call

Time critical! We are hoping to get your best read on data from Dimock.

We have identified that OSWER's Risk-Based Screening Levels for Drinking Water for Arsenic, Aluminum, Iron and Manganese have been revised with latest update:

http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/Generic_Tables/index.htm

Attached table shows the levels

In addition, the attached table lists organics that have been identified (many at very low levels) in some recent samples, for which we are trying to ascertain risk.

Many thanks for your assistance and cooperation!--Vicky

[attachment "Organics in Dimock.xlsx" deleted by Ralph Ludwig/ADA/USEPA/US]

Victoria P. Binetti
Associate Director, Drinking Water & Source Water Protection
Water Protection Division
US Environmental Protection Agency, Region III

Phone: 215-814-5757
Fax: 215-814-2302
Cell: 215-514-8857